



**EASTERN KERN AIR POLLUTION CONTROL DISTRICT**

2700 "M" STREET SUITE 302, BAKERSFIELD, CA 93301-2370

PHONE: (661) 862-5250 • FAX: (661) 862-5251 • [www.kernair.org](http://www.kernair.org)

**PERP HOME DISTRICT INSPECTION REQUEST**

As of 4/27/07, Article 5, Section 2460(b) of the Code of California Regulations (CCR) requires owners or operators of registered portable engines or equipment units to notify the Home District within 45 days of the initial registration or renewal date to schedule an inspection. The inspection shall be completed within one year at a time and place agreed upon in advance. Please complete all applicable sections of the form below. EKAPCD staff will contact you within 30 days following receipt of the request to schedule the inspection.

**1. Owner Information**

Business Name:			
Responsible Party:		Title:	
Mailing Address:		E-mail Address:	
City:	State:	Zip:	Phone No:

**2. Equipment Information (complete all that apply)**

Type of Equipment:		Registration Number:		
Location of Equipment:		City:		Zip:
¼ Section:	Township:	Range:	Longitude:	Latitude:
Facility Name if Applicable:		Facility Contact Person:		Phone No:
Preferred Inspection Day(s):				
Monday	Tuesday	Wednesday	Thursday	Friday

Pursuant to CCR Title 13, Article 5, Section § 2458(a), 2458(b), and 2460(b)(6), failure to have engine or equipment unit and the required documentation and records available for inspection may result in violation notice issuance and penalty assessment. For in-field inspections, portable engines and equipment units must be observed in operation. Contact EKAPCD at least 48 hours prior to the time of an arranged inspection appointment to reschedule.

Submit completed PERP Home District Inspection Request to:

EKAPCD 2700 "M" Street suite 302, Bakersfield, CA 93307

Email: [ekapcd@co.kern.ca.us](mailto:ekapcd@co.kern.ca.us) • Fax: (661) 862-5251

**Please complete one form for each piece of equipment to be inspected**

<b>DATE RECEIVED</b>	<b>Validation (for EKAPCD use)</b>
----------------------	------------------------------------